



Certificate of Analysis

Product name	Colchicine	Manufacture date	Oct.19.2023
Batch number	SW231019	Analysis date	Oct.20.2023
Batch quantity	500kg	Expiry date	Oct.19.2025

Analysis	Specification	Result
Appearance	Light Yellow powder	Conforms
Assay	$\geq 98\%$	98.23%
Mesh size	100% pass 80 mesh	Conforms
Ash	$\leq 5.0\%$	2.85%
Loss on drying	$\leq 5.0\%$	2.82%
Heavy metal	$\leq 10\text{ppm}$	Conforms
Pb	$\leq 2\text{ppm}$	Conforms
As	$\leq 1\text{ppm}$	Conforms
Hg	$\leq 0.1\text{ppm}$	Conforms
Residue of pesticide	Negative	Negative
Total plate count	$\leq 1000\text{cfu/g}$	Conforms
Yeast&Mold	$\leq 100\text{cfu/g}$	Conforms
E.coli	Negative	Negative
Salmonella	Negative	Negative
Conclusion	Conforming to Enterprise Standard	

Packing description:	Sealed export grade drum & double of sealed plastic bag
Storage:	Store in cool & dry place. keep away from strong light and heat
Shelf life:	2 years when properly stored

Quality Assurance Officer: 李强

Corrector: 佟丽华

Analyst: 方燎

